Appl. No. 10/667,894

Amd. dated July 28, 2006

Reply to Office Action of 06/05/2006

## **AMENDMENTS TO THE CLAIMS:**

1. (Currently Amended) A method for the therapeutic treatment of biological tissue of a patient, comprising the following steps:

diagnosing the nature and extent of a tissue disorder;

establishing the location and size of at least one treatment area;

exposing the at least one treatment area to laser light below the level necessary to cause thermal damage to the tissue being treated, wherein the light is in the near infrared portion of the electromagnetic spectrum; and

treating said treatment area for sufficient treatment time to produce clinically beneficial effects by delivering a dosage greater than 20 joules/cm² between approximately 20 and 100 J/cm².

- 2. (Previously Presented) The method according to claim 1, wherein the laser light has a wavelength between approximately 700 and approximately 1400 nm.
- 3. (Previously Presented) The method according to claim 2, wherein an Nd:YAG laser source is used to produce laser light of 1064 nm wavelength.
- 4. (Original) The method according to claim 1, wherein the treatment time is less than approximately 20 minutes per treatment area.

Appl. No. 10/667,894 Amd. dated July 28, 2006 Reply to Office Action of 06/05/2006

- 5. (Original) The method according to claim 4, wherein the treatment time is approximately 90 seconds per treatment area is used.
- 6. (Original) The method according to claim 1, wherein the treatment area is between 0.1 and 100 cm<sup>2</sup>.
- 7. (Original) The method according to claim 6, wherein the treatment area is 10 cm<sup>2</sup>.
- 8. (Canceled)
- 9. (Original) The method according to claim 8, wherein the dosage is approximately 45 J/cm<sup>2</sup> dosage.
- 10. (Original) The method according to claim 1, wherein multiple treatment areas are treated.
- 11. (Original) The method according to claim 1, wherein treatment is repeated daily, or periodically for a prescribed number of days necessary to produce clinically beneficial effects.
- 12. (Original) The method according to claim 1, wherein the light is delivered in a continuous wave.
- 13. (Original) The method according to claim 1, wherein the light is produced by a light source operated in a pulsing fashion.

Appl. No. 10/667,894 Amd. dated July 28, 2006 Reply to Office Action of 06/05/2006

14. (Original) The method according to claim 1, wherein the tissue disorder results from acute trauma.

15. (Previously Presented) The method according to claim 1, wherein the tissue disorder is selected from the group consisting of inflammatory arthritis, soft tissue wounds, osteoarthritis, sports injuries, tendinitis, neuropathic pain, nerve repair, oro-facial pain, acute and chronic musculoskeletal pain, hemangiomas, tinnitus, immune modulation, patellofemoral pain, bactericidal effects and Pyronie's disease.